


Two



Debbie Harman

JUST COUNT YOUR FINGERS AND TOES



DID YOU HEAR
THE ONE ABOUT
THE TWO BIRDS
WHO SAT ON A
KOALA'S HEAD?

NO?





LOOK!
I REALISE I'VE
BECOME A BIT OF
A HARD-ARSE

YOU
WERE
CERTAINLY
MORE

IN
VERTE
BRATE
WHEN
I MARRIED
YOU.

I'm a dead dog!
Are you a
dead dog!



HA! HA! HA!
HAW! HAW! HAW!





PEOPLE
ARE
ODD!

YES!
BUT IS
THAT BECAUSE
THEY ARE
SINGULAR?

HEY!

THAT'S
MINE

The disease seems to originate spontaneously, and not from any approach to contagion. It is conveyed from one child to another by contact of the hands, or by means of towels, combs, caps, and other articles.

TREATMENT.—When the disease is first noticed, we must be careful to use some emollient for the skin, and it is necessary to be repeated. If there is an increase of irritation, the disease should be avoided. The diet should be of a soothing variety in order to possess any unfailing effect. As the state subsides, a dry eruption breaks out. In some instances, the eruption constantly appears, and is a disorder. In most cases, the use of zinc, acetate of zinc, or infusions of borax, in charge, the ointment of lime-water, or a lotion of lime-water, will restore the state of the patches.

WATER.—If the scabs are removed, the patient should be kept cool, and the scabs should be removed.

WATER.—If the scabs are removed, the patient should be kept cool, and the scabs should be removed.

WORM.—A disease of the skin appears in the form of vesicles round the circumference of the body. These vesicles are small, and contain a clear fluid. They are often found in three or four days, when the face and neck, and the arms and shoulders, are covered with them. There is a succession of eruptions, and the disease is attended with much itching and irritation. It is a contagious disease, and is often spread by contact with the hands of children. It is also spread by the use of towels, combs, caps, and other articles.

WORM.—A disease of the skin appears in the form of vesicles round the circumference of the body. These vesicles are small, and contain a clear fluid. They are often found in three or four days, when the face and neck, and the arms and shoulders, are covered with them. There is a succession of eruptions, and the disease is attended with much itching and irritation. It is a contagious disease, and is often spread by contact with the hands of children. It is also spread by the use of towels, combs, caps, and other articles.

WORM.—A disease of the skin appears in the form of vesicles round the circumference of the body. These vesicles are small, and contain a clear fluid. They are often found in three or four days, when the face and neck, and the arms and shoulders, are covered with them. There is a succession of eruptions, and the disease is attended with much itching and irritation. It is a contagious disease, and is often spread by contact with the hands of children. It is also spread by the use of towels, combs, caps, and other articles.

WORM.—A disease of the skin appears in the form of vesicles round the circumference of the body. These vesicles are small, and contain a clear fluid. They are often found in three or four days, when the face and neck, and the arms and shoulders, are covered with them. There is a succession of eruptions, and the disease is attended with much itching and irritation. It is a contagious disease, and is often spread by contact with the hands of children. It is also spread by the use of towels, combs, caps, and other articles.

WORM.—A disease of the skin appears in the form of vesicles round the circumference of the body. These vesicles are small, and contain a clear fluid. They are often found in three or four days, when the face and neck, and the arms and shoulders, are covered with them. There is a succession of eruptions, and the disease is attended with much itching and irritation. It is a contagious disease, and is often spread by contact with the hands of children. It is also spread by the use of towels, combs, caps, and other articles.


It generally continues for several days, and then subsides. It is often attended with much itching and irritation. It is a contagious disease, and is often spread by contact with the hands of children. It is also spread by the use of towels, combs, caps, and other articles.

It generally continues for several days, and then subsides. It is often attended with much itching and irritation. It is a contagious disease, and is often spread by contact with the hands of children. It is also spread by the use of towels, combs, caps, and other articles.

It generally continues for several days, and then subsides. It is often attended with much itching and irritation. It is a contagious disease, and is often spread by contact with the hands of children. It is also spread by the use of towels, combs, caps, and other articles.

It generally continues for several days, and then subsides. It is often attended with much itching and irritation. It is a contagious disease, and is often spread by contact with the hands of children. It is also spread by the use of towels, combs, caps, and other articles.

It generally continues for several days, and then subsides. It is often attended with much itching and irritation. It is a contagious disease, and is often spread by contact with the hands of children. It is also spread by the use of towels, combs, caps, and other articles.





BUM!
LATE FOR
YET ANOTHER
JOB INTERVIEW

YEAH,
WE REALLY
NEED A
SYSTEM
FOR OUR SOCKS



IT'S THIS WAY.

NO
I THINK *you're*
WRONG,
IT'S THIS WAY.

CHARMAN

HEY! WHERE DID YOU PUT MY TAIL?

WHAT DO YOU MEAN YOUR TAIL?

YOU'RE A POOP!

I NEED TO SWISH IT AFTER I POOP!

AND MAKE SURE YOU POOP AT YOUR END

WHAT DO YOU MEAN YOUR END?

MAYBE, TURN BACK?


NAH

NAH

NAH

NAH





Two

From the series: *Stray Animals*

First published by Debbie Harman 2025

Ebook 2026

Made in Naarm

In: debbie_harman_qadri

W: debbieharmanqadri.com

For more reading:

<https://debbieharmanqadri.com/published/>

